

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of:

Ward *et al.*

Patent. No.: 6,696,898 B1

Issued: February 24, 2004

For: **Differential Crystal Oscillator**

Confirmation No.: 9756

Art Unit: 2817

Examiner: Mis, David C.

Atty. Docket: 1875.095000C

**Request for Certificate of Correction
Under 37 C.F.R. § 1.322**

Attn: Certificate of Correction Branch

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction under 37 C.F.R. § 1.322 be issued for the above-captioned United States Patent. This Certificate of Correction is being requested due to mistakes which appear in the printed patent. These mistakes were made by the U.S. Patent and Trademark Office.

Specifically, the printed patent contains the following errors for which a Certificate of Correction is respectfully requested:

In column 62, line 46 "sinsoidal" replace with --sinusoidal--. Spelling error in claims 8 was made by the PTO and was filed correctly in the specification on November 3, 2003. Therefore, the patent should have issued with column 62, line 46 --sinusoidal-- instead of "sinsoidal".

In column 62, line 67 "oscillaor" replace with --oscillator--. Spelling error in claim 10 was made by the PTO and was filed correctly in the specification on November

3, 2003. Therefore, the patent should have issued with column 62, line 67 --oscillator-- instead of "oscillaor".

Remarks


The above-noted corrections do not involve such changes in the patent as would constitute new matter or would require reexamination.

A completed Form PTO/SB/44 accompanies this request, with the above-noted corrections printed thereon. Accordingly, a Certificate of Correction is believed proper and issuance thereof is respectfully requested.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



Timothy A. Doyle
Attorney for Patentees
Registration No. 51,262

Date: 16 APR 08

1100 New York Avenue, N.W.
Washington, D.C. 20005-3934
(202) 371-2600

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO: 6,696,898 B1

DATED: February 24, 2004

INVENTOR(S): Ward *et al.*

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

Column 62

Line 46, "sinoidal" replace with --sinusoidal--.

Line 47, "oscillaor" replace with --oscillator--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1100 New York Avenue, NW

Washington DC 20005-3934

Atty. Dkt. No. 1875.095000C

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

DOC#808240_1.DOC